APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

| Date of filing in State Engineer's OfficeOCT 05 2004 | | | | | |
|--|--|--|--|--|--|
| Returned to applicant for correction | | | | | |
| Corrected application filed | | | | | |
| Map filed AUG 25 2004 under 71606 | | | | | |
| ******* The applicant Truckee Meadows Water Authority hereby makes application for permission to change the Point of Diversion and Manner and Place of Use of a portion of water heretofore appropriated under Permit 41661 | | | | | |
| 1. The source of water is Truckee River | | | | | |
| 2. The amount of water to be changed 0.249 cfs but not to exceed 23.53 afa | | | | | |
| 3. The water to be used for Municipal and Domestic | | | | | |
| 4. The water heretofore permitted for Quasi-Municipal | | | | | |
| 5. The water is to be diverted at the following point The points of diversion of Truckee Meadows Water Authority's Existing water treatment plants are described in attached Exhibit "A" and as shown on the map supporting Application No. 71606 on file with the Division of Water Resources, State of Nevada. | | | | | |
| 6. The existing permitted point of diversion is located within The SE¼ of the NE¼ of Section 14, T19N, R18E, MDB&M, or at a point from which the East corner of said Section 14 bears South 43°16' East a distance of 1,167 feet. | | | | | |
| 7. Proposed place of use See attached Exhibit "B" as described in Permit No. 71606 and shown on the map accompanying said permit on file with the Division of Water Resources, State of Nevada. | | | | | |
| 8. Existing place of use See Exhibit "C" | | | | | |
| 9. Use will be from January 1 to December 31 of each year. | | | | | |
| 10. Use was permitted from January 1 to December 31 of each year. | | | | | |
| 11. Description of proposed works Water will be diverted at existing TMWA facilities, then treated and placed into the existing distribution system. | | | | | |
| 12. Estimated cost of works Completed | | | | | |
| 13. Estimated time required to construct works Completed | | | | | |
| 14. Estimated time required to complete the application of water to beneficial use Ten (10) years | | | | | |
| 15. Remarks: The assignment of these water rights have been filed into TMWA's name which shows TMWA owning 23.53 acre feet of the total 28.35 acre feet permitted. TMWA has accepted these water and water rights for will-serve commitments in the Double Diamond Ranch Development. | | | | | |
| By s/Kenneth C. Briscoe Kenneth C. Briscoe TMWA, P O Box 30013 Reno, NV 89520-3013 Compared sg/sc lb/gki | | | | | |
| Protested | | | | | |

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of the Truckee River as heretofore granted under Permit 41661, which changed the place of use and manner of use of Permit 25470, Certificate 8297, which changed the place of use of Permit 21142, Certificate 6078, which changed the point of diversion and place of use of a portion of Claim No. 498, Truckee River Decree is issued subject to the terms and conditions imposed in said decree and with the understanding that no other rights on the source will be affected by the change proposed herein. A suitable measuring device must be installed and accurate measurements of water placed to beneficial use must be kept.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.249 cubic feet per second, but not to exceed 23.53 acre-feet as decreed.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed on or before:

Water must be placed to beneficial use on or before:

<u>July 14, 2016</u>

Proof of the application of water to beneficial use shall be filed on or before: <u>August 14, 2016</u>

Map in support of proof of beneficial use shall be filed on or before:

IN TESTIMONY WHEREOF, I, Tracy Taylor, P.E.,

State Engineer of Nevada, have hereunto set

State Engineer P.E.

my hand and the seal of my office,

this 14th day of July, A.D. 2006

Completion of work filed <u>March 12, 1997 under 60929</u> Proof of beneficial use filed ____ Cultural map filed _______NA Certificate No. __ Issued

EXHIBIT "A"

The following describes the multiple points of diversion for Truckee Meadows Water Authority Water Treatment Plants, which are shown on the map accompanying Application No. 71606 on file with the State of Nevada, Division of Water Resources, more particularly described as follows:

STEAMBOAT CANAL (HUNTER CREEK RESERVOIR):

The existing point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE½ SW½) of Section 31, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 31 bears South 62°04' East, a distance of 3,195.00 feet.

HIGHLAND DITCH (HIGHLAND RESERVOIR):

The existing point of diversion is situate within the Southwest one-quarter of the Southeast one-quarter (SW¼ SE½) of Section 9, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 9 bears South 75°16' East, a distance of 1,650.00 feet.

IDLEWILD TREATMENT PLANT:

The existing point of diversion is situate within the Southeast one-quarter of the Southeast one-quarter (SE¼ SE¾) of Section 10, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 10 bears South 69°57'58" East, a distance of 842.34 feet.

NORTH TRUCKEE DITCH (GLENDALE TREATMENT PLANT):

The existing point of diversion is situate within the Southwest one-quarter of the Northeast one-quarter (SW½ NE½) of Section 7, T.19N., R.20E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Northeast corner of said Section 7 bears North 39°28' East, a distance of 3,015.00 feet.

ORR DITCH PUMP STATION (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southeast one-quarter (NE¼ SE½) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Northeast corner of said Section 17 bears North 15°39'36" East, a distance of 3,264.77 feet.

ORR DITCH (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE¼ SW¼) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Southwest corner of said Section 17 bears South 44°40' West, a distance of 3,211.00 feet.

9/23/2004

M:\water rights\Transfer Applications\Exhibit A - Master.doc

EXHIBIT "B" PROPOSED PLACE OF USE

| | rkurusi | LD PLACE OF USE | | |
|-----------------|----------------|-----------------|------------|----------------|
| <u>DIVISION</u> | <u>SECTION</u> | <u>T-N</u> | <u>R-E</u> | |
| | | | | |
| ALL | 1-5 | 18 | 18 | M.D.B.&M. |
| E1/2 | 6&7 | 18 | 18 | M.D.B.&M. |
| ALL | 8-17 | 18 | 18 | M.D.B.&M. |
| E1/2 | 18&19 | 18 | 18 | M.D.B.&M. |
| ALL | 20-29 | 18 | 18 | M.D.B.&M. |
| E½ | 30&31 | 18 | 18 | M.D.B.&M. |
| ALL | 32-36 | 18 | 18 | M.D.B.&M. |
| 177 | 1.5 | 10 | 10 | 1455414 |
| ALL | 1-5 | 19 | 18 | M.D.B.&M. |
| E1/2 | 6&7 | 19 | 18 | M.D.B.&M. |
| ALL | 8-17 | 19 | 18 | M.D.B.&M. |
| E½ | 18&19 | 19 | 18 | M.D.B.&M. |
| ALL | 20-29 | 19 | 18 | M.D.B.&M. |
| E1/2 | 30&31 | 19 | 18 | M.D.B.&M. |
| ALL | 32-36 | 19 | 18 | M.D.B.&M. |
| ALL | 1-5 | 20 | 18 | M.D.B.&M. |
| | | | | |
| E½ | 6&7 | 20 | 18 | M.D.B.&M. |
| ALL | 8-17 | 20 | 18 | M.D.B.&M. |
| E1/2 | 18&19 | 20 | 18 | M.D.B.&M. |
| ALL | 20-29 | 20 | 18 | M.D.B.&M. |
| E1/2 | 30&31 | 20 | 18 | M.D.B.&M. |
| ALL | 32-36 | 20 | 18 | M.D.B.&M. |
| ALL | 1-5 | 21 | 18 | M.D.B.&M. |
| | | | | |
| E½ | 6&7 | 21 | 18 | M.D.B.&M. |
| ALL | 8-17 | 21 | 18 | M.D.B.&M. |
| E1/2 | 18&19 | 21 | 18 | M.D.B.&M. |
| ALL | 20-29 | 21 | 18 | M.D.B.&M. |
| E1/2 | 30&31 | 21 | 18 | M.D.B.&M. |
| ALL | 32-36 | 21 | 18 | M.D.B.&M. |
| ALL | 1-36 | 18 | 19 | M.D.B.&M. |
| RUD | 1-30 | | 17 | 111.212.00.11 |
| ALL | 1-36 | 19 | 19 | M.D.B.&M. |
| ATT | 1 26 | 20 | 19 | M.D.B.&M. |
| ALL | 1-36 | 20 | 19 | M.D.B.&M. |
| ALL | 1-36 | 21 | 19 | M.D.B.&M. |
| . • • | | | 20 | MDDOM |
| ALL | 2-35 | 18 | 20 | M.D.B.&M. |
| W½ | 36 | 18 | 20 | M.D.B.&M. |
| ALL | 1-12 | 19 | 20 | M.D.B.&M. |
| ALL | 14-23 | 19 | 20 | M.D.B.&M. |
| ALL | 26-35 | 19 | 20 | M.D.B.&M. |
| NLD . | 20-33 | 17 | 20 | 171.2.2.00172. |
| ALL | 1-36 | 20 | 20 | M.D.B.&M. |
| ATT | 1 26 | 21 | 20 | мпрым |
| ALL | 1-36 | 21 | 20 | M.D.B.&M. |
| ALL | 1-36 | 20 | 21 | M.D.B.&M. |
| | | | | 14BB 237 |
| ALL | 1-36 | 21 | 21 | M.D.B.&M. |

SEE SUPPORTING MAP ON FILE WITH APPLICATION NO. 71606

EXHIBIT "C"

| USE WITHIN | 1/4 of 1/4 | SECTION | T.18N., R.20E., M.D.B |
|------------|--------------------|-------------------|---------------------------|
| | SE - NW | 4 | , |
| | se - ne | 4 | • |
| | S 1/2 | 4 | |
| | E 1/2 - NE | 5 | |
| | E 1/2 - SE | 5 | • |
| | SW - SE | 5 | |
| | NW - SE | , 5 | |
| • | NE 1/4 | 8 | |
| | N 1/2 - SE | 8 | |
| | SW - SE | 8 | |
| | se – se se – sw | & 8 | |
| | NE - SW | 8 | |
| | ENTIRE SECTION | 9 | |
| | N 1/2 | 16 | |
| • | NW - SE | 16 | |
| | NE - SE | 16 | |
| | NW - SW | 16 | |
| | NW - NE | 17 | |
| | NE - NE | 17 | •• |
| | SE - NB | 17 | |
| | SW - NE | 17 | |
| ` | ne - se | 17 | |
| | SE - SE | 17 | 4 |
| | SW - SE | 17 | |
| | NW - SE | 17 | |
| | NW - SW | 33 | T.19N., R.20E., M.D.B.&M. |
| <u>1</u> | | | |
| | | * | 17217/24 |
| USE WITHIN | 1/4 of 1/4 | <u>SECTION</u> | T.19N., R20E., M.D.B.&M. |
| | NE-SW | 33 | ` |
| | SE-SW | 33 | |